

FIG. 2




FIG. 3A




FIG. 3B



FIG. 3C

Figure 1 consists of 12 bar charts, labeled (a) through (l), each representing a different fish species. The x-axis for all charts is 'Month' with labels from January to December. The y-axis is 'Percentage of total catch' ranging from 0 to 100. The data is as follows:

Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
(a) Atlantic croaker	10	15	20	25	30	35	40	45	50	55	60	65
(b) Atlantic menhaden	10	15	20	25	30	35	40	45	50	55	60	65
(c) Atlantic silverside	10	15	20	25	30	35	40	45	50	55	60	65
(d) Atlantic tomcod	10	15	20	25	30	35	40	45	50	55	60	65
(e) Atlantic herring	10	15	20	25	30	35	40	45	50	55	60	65
(f) Atlantic bluefish	10	15	20	25	30	35	40	45	50	55	60	65
(g) Atlantic striped bass	10	15	20	25	30	35	40	45	50	55	60	65
(h) Atlantic whitefish	10	15	20	25	30	35	40	45	50	55	60	65
(i) Atlantic rockfish	10	15	20	25	30	35	40	45	50	55	60	65
(j) Atlantic sea bass	10	15	20	25	30	35	40	45	50	55	60	65
(k) Atlantic sea bream	10	15	20	25	30	35	40	45	50	55	60	65
(l) Atlantic sea bass	10	15	20	25	30	35	40	45	50	55	60	65




FIG. 3D




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10